

SD103AWS Schottky Barrier Diode

General description

200mW SOD-323 SURFACE MOUNT Very Small Outline Flat Lead Plastic Package

FEATURES


- Low Forward Voltage Drop
- Flat Lead SOD-323 Small Outline Plastic Package
- · Surface Device Type Mounting
- RoHS Compliant
- Green EMC
- Matte Tin(Sn) Lead Finish
- Band Indicates Cathode

Absolute Maximum Ratings T_A = 25°C unless otherwise noted

Symbol	Parameter	Value	Units
P _D	Power Dissipation	200	mW
Тѕтс	Storage Temperature Range	-65 to +125	°C
T_J	Operating Junction Temperature	+125	°C
V_{RM}	Repetitive Peak Reverse Voltage	40	V
I _{F(AV)}	Average Forward Rectified Current 200 mA		
IFSM	Peak Forward Surge Current (10 uS Wave)	2	Α



SOD-323 Package



Device Marking Code:

Device Type	Device Marking
SD103AWS	S4 or JV

Electrical Characteristics T_A = 25°C unless otherwise noted

Symbol	Parameter	Test Condition	Limits		Unit	
			Min	Тур	Max	
I _R	Reverse Leakage Current	V _R =30V			5	μΑ
V _F	Forward Voltage	I _F =20mA I _F =200mA			0.37 0.60	Volts
Ct	Junction Capacitance	V _R =0V f= 1MHz		50		pF

www.doeshare.net Page 1 of 4



Typical Characteristics




Figure 1. Forward Current Derating Curve




Figure 2. Total Capacitance




Figure 3. Forward Characteristics





Figure 4. Forward Characteristics

Note: Dimensions are exclusive of Burrs, Mold Flash & Tie Bar extrusions.


www.doeshare.net Page 2 of 4




SOD-323 PACKAGE OUTLINE DIMENSIONS







Combal	Dimensions In Millimeters		
Symbol	Min	Max	
A		1.00	
A1	0.000	0.100	
A2	0.800	0.900	
b	0.250	0.350	
С	0.080	0.150	
D	1.200	1.400	
E	1.600	1.800	
E1	2.500	2.700	
e	1.800	2.040	
L	0.475 REF		
L1	0.250	0.400	
θ	0°	8"	



Recommended Pad outline

www.doeshare.net Page 3 of 4



Important Notice and Disclaimer

DOESHARE has used reasonable care in preparing the information included in this document, but DOESHARE does not warrant that such information is error free. DOESHARE assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

DOESHARE no warranty, representation or guarantee regarding the documents, circuits and products specification, DOESHARE reservation rights to make changes for any documents, products, circuits and specifications at any time without notice.

Purchasers are solely responsible for the choice, selection and use of the DOESHARE products and services described herein, and DOESHARE assumes no liability whatsoever relating to the choice, selection or use of the products and services described herein.

No license, express or implied, by implication or otherwise under any intellectual property rights of DOESHARE.

Resale of DOESHARE products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by DOESHARE for the DOESHARE product or service described herein and shall not create or extend in any manner whatsoever, any liability of DOESHARE.

www.doeshare.net Page 4 of 4